

SAFETY DATA SHEET

SECTION 1: Identification

1.1 Product identifier

Product name Heavy Equipment & Truck Wash

Brand Best In Show

1.3 Recommended use of the chemical and restrictions on use

Heavy Equipment and Truck Wash

1.4 Supplier's details

Name Bullseye Products, LLC
Address 3595 Polaris Ave
Las Vegas, Nevada 89103
United States

1.5 Emergency phone number(s)

Company Phone General Assistance 302-231-2624
Emergency Phone US 1-866-836-8855 Emergency
Phone outside US 1-952-852-4646

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Other hazards which do not result in classification

Not a hazardous substance or mixture. Eye irritant.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

1. ETHYLENE GLYCOL MONOBUTYL ETHER

Concentration 3-5 %

Other names / synonyms 2-BUTOXY-1-ETHANOL; 2-BUTOXYETHANOL; 3-OXA-1-HEPTANOL;
BUCS; BUTOXYETHANOL; BUTYL CELLOSOLVE; BUTYL GLYCOL;
BUTYL OXITOL; DOWANOL EB; EKTASOLVE EB; Ethanol, 2-butoxy-;
ETHYLENE GLYCOL MONOBUTYL ETHER; ETHYLENE GLYCOL N-

BUTYL; ETHYLENEGLYCOLMONOBUTYLEETHER; GAFCOL EB; GLYCOL BUTYL ETHER; GLYCOL ETHER EB; GLYCOL ETHER EB ACETATE; GLYCOL MONOBUTYL ETHER; JEFFERSOL EB; MONOBUTYL ETHER OF ETHYLENE GLYCOL; MONOBUTYL GLYCOL ETHER; N-BUTOXYETHANOL; O-BUTYL ETHYLENE GLYCOL; POLY-SOLV EB; UN 2369

EC no. 203-905-0
CAS no. 111-76-2
Index no. 603-014-00-0

- Acute toxicity (chapter 3.1), Cat. 4
- Eye damage/irritation (chapter 3.3), Cat. 2
- Skin corrosion/irritation (chapter 3.2), Cat. 2

H302 Harmful if swallowed
H312 Harmful in contact with skin
H315 Causes skin irritation
H319 Causes serious eye irritation
H332 Harmful if inhaled

2. Dipropylene glycol monomethyl ether

Concentration 6-10 %

Other names / synonyms Dipropylene glycol monomethyl ether; Propanol, 1(or 2)-(2-methoxymethylethoxy)-

CAS no. 34590-94-8

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice Not hazardous under normal use

If inhaled Not a likely route of exposure

In case of skin contact Wash with water

In case of eye contact Flush with water and see a physician if irritation persists

If swallowed Do not induce vomiting. Seek medical attention.

Personal protective equipment for first-aid responder
Eye protection n recommended

4.2 Most important symptoms/effects, acute and delayed

Eye irritant

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Ingestion of moderate to large quantities may require medical attention

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Not combustible

5.2 Specific hazards arising from the chemical
None

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedure
Eye protection recommended

6.2 Environmental precautions
Avoid release into streams and waterways

6.3 Methods and materials for containment and cleaning up
Absorb with sawdust or vermiculite

SECTION 7: Handling and storage

7.2 Conditions for safe storage, including any incompatibilities
Store in a cool dry place.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. 2-Butoxyethanol (CAS: 111-76-2)

PEL (Inhalation): 50 ppm (OSHA)
OSHA Annotated Table Z-1, www.osha.gov

2. 2-Butoxyethanol (CAS: 111-76-2)

PEL (Inhalation): 240 mg/m³ (OSHA)
OSHA Annotated Table Z-1, www.osha.gov

3. 2-Butoxyethanol (CAS: 111-76-2)

PEL (Inhalation): 20 ppm (Cal/OSHA)
OSHA Annotated Table Z-1, www.osha.gov

4. 2-Butoxyethanol (CAS: 111-76-2)

REL (Inhalation): 5 ppm (NIOSH)
OSHA Annotated Table Z-1, www.osha.gov

5. Dipropylene glycol methyl ether (CAS: 34590-94-8)

PEL (Inhalation): 100 ppm (OSHA)
OSHA Annotated Table Z-1, www.osha.gov

6. Dipropylene glycol methyl ether (CAS: 34590-94-8)

PEL (Inhalation): 600 mg/m³ (OSHA)
OSHA Annotated Table Z-1, www.osha.gov

7. Dipropylene glycol methyl ether (CAS: 34590-94-8)

PEL (Inhalation): 100 ppm, (ST) 150 ppm (Cal/OSHA)
OSHA Annotated Table Z-1, www.osha.gov

8. Dipropylene glycol methyl ether (CAS: 34590-94-8)

REL (Inhalation): 100 ppm, (ST) 150 ppm (NIOSH)
OSHA Annotated Table Z-1, www.osha.gov

8.3 Individual protection measures, such as personal protective equipment (PPE)
Eye Protection

Thermal hazards

None

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

Appearance/form	Clear liquid
Odor	Mild solvent
Odor threshold	High
pH	12.4
Melting point/freezing point	32 deg F
Initial boiling point and boiling range	212 deg F
Flash point	Not established but expected to be very high
Evaporation rate	Equal to water
Flammability (solid, gas)	None
Upper/lower flammability limits	Not established
Upper/lower explosive limits	Not established
Vapor pressure	Equal to water
Vapor density	Less than air
Relative density	1.03 g/cc
Solubility(ies)	Water soluble in all proportions
Partition coefficient: n-octanol/water	Not established
Auto-ignition temperature	Not established
Decomposition temperature	Not established
Viscosity	0.8 SI units same as water
Explosive properties	None
Oxidizing properties	None

SECTION 10: Stability and reactivity**10.1 Reactivity**

Unreactive under normal conditions

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

Unlikely except with strong oxidizers

10.4 Conditions to avoid

Do not freeze

10.5 Incompatible materials

Strong oxidizers

10.6 Hazardous decomposition products

Oxides of nitrogen and carbon

SECTION 11: Toxicological information**Information on toxicological effects****Acute toxicity**

None

Skin corrosion/irritation

Very mild irritant

Serious eye damage/irritation

Mild irritant

Respiratory or skin sensitization

Not a likely route of exposure for respiration but can cause mild skin irritation with prolonged exposure

SECTION 12: Ecological information**Toxicity**

Not established but expected to be low

Persistence and degradability

100% biodegradable

Bio accumulative potential

None

Mobility in soil

Not established

Results of PBT and vPvB assessment

Does not bio-accumulate

SECTION 13: Disposal considerations**Disposal of the product**

Dispose in accordance with local, state and federal guidelines

Disposal of contaminated packaging

Not a hazardous waste

Waste treatment

Absorb onto sawdust or vermiculite if spilled. Dispose of in accordance with local, state and federal guidelines

Sewage disposal

Non-hazardous and biodegradable. Low organic loading.

Other disposal recommendations

Not a hazardous waste

SECTION 14: Transport information**DOT (US)**

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 302

Not listed

SARA 313

Ethylene Glycol Monobutyl ether

TSCA inventory

All components are listed

Pa. right to know

Dipropylene glycol monomethyl ether

Cal. Proposition 65 components

Not listed

HMIS Rating

Health	1
Flammability	0
Physical hazard	0
Personal protection	D

NFPA Rating

Health hazard	1
Fire hazard	0
Reactivity hazard	0
Special hazard	